

YANCHENG BERYS PLASTICS CO., LTD.


Address: No. 201 East Jianjun Rd, Yancheng City, Jiangsu Province, China

Website: www.plasticpallets.cc

E-mail: david@plasticpallets.cc




Wechat & WhatsApp: +86-15651488607

1. Racking Plastic Pallets -- Three runners type



Product ID	Pictures	Size(L*W*H)	Size (inch)	Net. Weight	Description
BYS-1513TGH		1500*1300*150mm	59*51.2*5.9"	27 Kgs	Racking pallets, suitable for stereoscopic warehouse. 8 steel tubes inserted. Ensure stable and firm on the shelf. Static Load: 6,000 kgs or 13,000 lbs Dynamic Load: 2,000 kgs or 4,400 lbs Racking Load: 1,500 kgs or 3,300 lbs *BYS-1210TGH is hot sale type.
BYS-1512TGH		1500*1200*150mm	59*47.2*5.9"	26 Kgs	
BYS-1313TGH		1300*1300*150mm	51.2*51.2*5.9"	24 Kgs	
BYS-1250TGH		1250*1000*150mm	49.2*39.4*5.9"	20 Kgs	
BYS-1412TGH		1400*1200*150mm	55.1*47.2*5.9"	23.5 Kgs	
BYS-1312TGH		1300*1200*150mm	51.2*47.2*5.9"	22 Kgs	
BYS-1212TGH		1200*1200*150mm	47.2*47.2*5.9"	19.5 Kgs	
BYS-1210TGH		1200*1000*150mm	47.2*39.4*5.9"	16.5 Kgs	
BYS-1111TGH		1100*1100*150mm	43.3*43.3*5.9"	18 Kgs	
BYS-1208TGH		1200*800*150mm	47.2*31.5*5.9"	14 Kgs	
BYS-1109TGH		1100*900*150mm	43.3*35.4*5.9"	13.5 Kgs	
BYS-1110TGH		1100*1000*150mm	43.3*39.4*5.9"	17 Kgs	
BYS-1010TGH		1000*1000*150mm	39.4*39.4*5.9"	15.5 Kgs	
BYS-1008TGH		1000*800*150mm	39.4*31.5*5.9"	11.5 Kgs	

Hand jack & Forklift 4 way Entry
With 8 steel tubes



2. Blow molding Pallets -- Nestable and Reversible type

Product ID	Pictures	Size(L*W*H)	Size (inch)	Net. Weight	Description	
BYS-1210BN		1200*1000*150mm	47.2*39.4*5.9"	10 Kgs	More suitable for logistics and goods transfer, cheap price. Work temperature: -40°C~100°C Suitable for cold warehouse transport Static Load: 4,000 kgs or 8,800 lbs Dynamic Load: 1,500 kgs or 3,300 lbs Racking Load: Can't used for racking	
		1200*1000*140mm	47.2*39.4*5.5"	8.5 Kgs		
		1200*1000*140mm	47.2*39.4*5.5"	7.5 Kgs		
		1200*1000*140mm	47.2*39.4*5.5"	6.5 Kgs		
BYS-1111BN		1100*1100*140mm	43.3*43.3*5.5"	8.5 Kgs		
BYS-1208BN		1200*800*140mm	47.2*31.5*5.5"	8.0 Kgs		
BYS-1008BN		1000*800*140mm	39.4*31.5*5.5"	7.0 Kgs		
BYS-1311BN		1300*1100*140mm	51.2*43.3*5.5"	10.5 Kgs		
BYS-1212BN		1200*1200*140mm	47.2*47.2*5.5"	10.5 Kgs		
BYS-1411BN		1400*1100*140mm	55.1*43.3*5.5"	14.5 Kgs		
BYS-1412BN		1400*1200*140mm	55.1*47.2*5.5"	16 Kgs		
BYS-1010BN		Nine feet, Nestable New type pallet and hot popular	1000*1000*140mm	39.4*39.4*5.5"		8.0 Kgs
BYS-1109BN			1100*900*140mm	43.3*35.4*5.5"		7.5 Kgs
BYS-1210BR		Special for cold storage 	1200*1000*150mm	47.2*39.4*5.9"		20 Kgs
BYS-1111BR	1100*1100*150mm		43.3*43.3*5.9"	20 Kgs		
BYS-1311BR	1300*1100*150mm		51.2*43.3*5.9"	21.5 Kgs		
BYS-1212BR	1200*1200*150mm		47.2*47.2*5.9"	22 Kgs		
BYS-1412BR	1400*1200*150mm		55.1*47.2*5.9"	26 Kgs		
BYS-1512BR	Forklift only and 4 way Entry		1500*1200*150mm	59*47.2*5.9"	32 Kgs	



3. Cross Frame & Reversible Pallets -- Stackable pallet type

Product ID	Pictures	Size(L*W*H)	Size (inch)	Net. Weight	Description
BYS-1210CGH		1200*1000*150mm	47.2*39.4*5.9"	17 Kgs	Suitable for warehouse stack storage Static Load: 6,000 kgs or 13,000 lbs Dynamic Load: 2,000 kgs or 4,400 lbs Racking Load: 1,500 kgs or 3,300 lbs
BYS-1512CGH		1500*1200*150mm	59*47.2*5.9"	29.5 Kgs	
BYS-1412CGH		1400*1200*150mm	55.1*47.2*5.9"	23 Kgs	
BYS-1212CGH		1200*1200*150mm	47.2*47.2*5.9"	20.5 Kgs	
BYS-1208CGH		1200*800*150mm	43.3*43.3*5.9"	14.5 Kgs	
BYS-1111CGH		1100*1100*150mm	43.3*43.3*5.9"	18 Kgs	
BYS-1311CGH		1300*1100*150mm	51.2*43.3*5.9"	21 Kgs	
BYS-1010CGH		1000*1000*150mm	39.4*39.4*5.9"	13 Kgs	
BYS-8060CGH		800*600*150mm	31.5*23.6*5.9"	6.8 Kgs	
Hand jack & Forklift 4 way Entry With 7 steel tubes					
BYS-1412RGH		1400*1200*150mm	55.1*47.2*5.9"	32 Kgs	Heavy Duty Pallets Suitable for warehouse stack storage Static Load: 8,000 kgs or 17,600 lbs Dynamic Load: 2,000 kgs or 4,400 lbs Racking Load: 1,500 kgs or 3,300 lbs
BYS-1212RG		1200*1200*150mm	47.2*47.2*5.9"	21 Kgs	
BYS-1210TGH		1200*1000*150mm	47.2*39.4*5.9"	22 Kgs	
BYS-1111RGH		1100*1100*150mm	43.3*43.3*5.9"	22 Kgs	
With 8 steel tubes Forklift only and 4 way Entry					

4. Hygienic Flat Pallets -- Three runners and Nine feet type



Product ID	Pictures	Size(L*W*H)	Size (inch)	Net. Weight	Description
BYS-1210TFH		1200*1000*150mm	47.2*39.4*5.9"	19.5 Kgs	Suitable for Pharmaceutical and electronic industry warehouse transport and storage Easy to clean Static Load: 6,000 kgs or 13,000 lbs Dynamic Load: 2,000 kgs or 4,400 lbs Racking Load: 1,500 kgs or 3,300 lbs
BYS-1412TFH		1400*1200*150mm	55.1*47.2*5.9"	25.4 Kgs	
BYS-1212TFH		1200*1200*150mm	47.2*47.2*5.9"	22.8 Kgs	
BYS-1111TFH		1100*1100*150mm	43.3*43.3*5.9"	21 Kgs	
BYS-1208TFH		1200*800*150mm	47.2*31.5*5.9"	18 Kgs	
BYS-1414NFH		1400*1400*140mm	55.1*55.1*5.5"	28 Kgs	Light duty flat pallets Suitable for Pharmaceutical and electronic industry warehouse transport Easy to clean Static Load: 4,000 kgs or 8,800 lbs Dynamic Load: 1,500 kgs or 3,300 lbs Racking Load: Can't used for racking
BYS-1412NFH		1400*1200*140mm	55.1*47.2*5.5"	22 Kgs	
BYS-1311NFH		1300*1100*140mm	51.2*43.3*5.5"	19.5 Kgs	
BYS-1212NFH		1200*1200*140mm	47.2*47.2*5.5"	18 Kgs	
BYS-1210NFH		1200*1000*140mm	47.2*39.4*5.5"	13 Kgs	
BYS-1111NFH		1100*1100*140mm	43.3*43.3*5.5"	14 Kgs	
BYS-1208NFH		1200*800*140mm	47.2*31.5*5.5"	11 Kgs	
BYS-1109NFH		1100*900*140mm	43.3*35.4*5.5"	11.5 Kgs	
BYS-1010NFH		1000*1000*140mm	39.4*39.4*5.5"	11.5 Kgs	
BYS-1008NFH		1000*800*140mm	39.4*31.5*5.5"	9.8 Kgs	

5. Nestable Pallets -- Nine feet and Light duty type




Product ID	Pictures	Size(L*W*H)	Size (inch)	Net. Weight	Description
BYS-1311NG		1300*1100*140mm	51.2*43.3*5.5"	8.5 Kgs	Suitable for light goods transport and goods packing Price cheap, one way use. Static Load: 3,000 kgs or 6,600 lbs Dynamic Load: 1,000 kgs or 2,200 lbs Racking Load: Can't used for racking
BYS-1212NG		1200*1200*140mm	47.2*47.2*5.5"	8.5 Kgs	
BYS-1211NG		1200*1100*140mm	47.2*43.3*5.5"	7.8 Kgs	
BYS-1210NG		1200*1000*140mm	47.2*39.4*5.5"	7.5 Kgs	
BYS-1111NG		1100*1100*140mm	43.3*43.3*5.5"	7.0 Kgs	
BYS-1110NG		1100*1000*140mm	43.3*39.4*5.5"	6.6 Kgs	
BYS-1109NG		1100*900*140mm	43.3*35.4*5.5"	5.8 Kgs	
BYS-1010NG		1000*1000*140mm	39.4*39.4*5.5"	5.8 Kgs	
BYS-1208NG		1200*800*140mm	47.2*31.5*5.5"	5.8 Kgs	
BYS-1108NG		1100*800*140mm	43.3*31.5*5.5"	5.6 Kgs	
BYS-1008NG		1000*800*140mm	39.4*31.5*5.5"	4.6 Kgs	
*BYS-1150NG		Light duty pallet Hand jack & Forklift 4 way Entry	1150*1150*140mm	45.3*45.3*5.5"	
BYS-1210NFL		1200*1000*150mm	47.2*39.4*5.9"	8.7 Kgs	Price cheap, easy to clean. Static Load: 3,000 kgs or 6,600 lbs Dynamic Load: 1,000 kgs or 2,200 lbs Racking Load: Can't used for racking
BYS-1109NFL		1100*900*150mm	43.3*35.4*5.9"	7.8 Kgs	
BYS-1110NFL		1100*1000*150mm	43.3*39.4*5.9"	8.0 Kgs	
BYS-1111NFL		1100*1100*150mm	43.3*43.3*5.9"	8.7 Kgs	
BYS-1150NFL		1150*1000*150mm	45.3*39.4*5.9"	9.3 Kgs	
BYS-1310NFL		Light duty pallet Hand jack & Forklift 4 way Entry	1300*1000*150mm	51.2*39.4*5.9"	

*BYS-1150NG used as container pallets, more details: [container pallet](#)

6. Special Pallets -- Hook and Anti-slip edge Pallets



Product ID	Pictures	Size(L*W*H)	Size (inch)	Net. Weight	Description
BYS-1210TGHS		1200*1000*150mm	47.2*39.4*5.9"	17.5 Kgs	Suitable for securing goods with ropes, goods packed in cartons. Racking storage available. Static Load: 6,000 kgs or 13,000 lbs Dynamic Load: 2,000 kgs or 4,400 lbs Racking Load: 1,500 kgs or 3,300 lbs
BYS-1111TGHS		1100*1100*150mm	43.3*43.3*5.9"	17 Kgs	
BYS-1211TGHS		1200*1100*150mm	47.2*43.3*5.9"	19 Kgs	
BYS-1311TGHS		1300*1100*150mm	51.2*43.3*5.9"	21 Kgs	
BYS-1411TGHS		1400*1100*150mm	55.1*43.3*5.9"	23 Kgs	
BYS-1208TGHS		1200*800*150mm	47.2*31.5*5.9"	14.8 Kgs	
BYS-1108TGHS		1100*800*150mm	43.3*31.5*5.9"	14.5 Kgs	
		With 8 steel tubes Hand jack & Forklift 4 way Entry			
BYS-1210TFLS		1200*1000*160mm	47.2*39.4*6.3"	17 Kgs	Suitable for pharmaceutical and electronic components industries for carton packaging. Easy to clean Static Load: 4,000 kgs or 8,800 lbs Dynamic Load: 1,000 kgs or 2,200 lbs Racking Load: Below 500 Kgs
BYS-1208TFLS		1200*800*160mm	47.2*31.5*6.3"	15 Kgs	

7. Special Pallets -- Spill pallets & Oil drums pallets and Reversible racking pallets

Product ID	Pictures	Size(L*W*H)	Size (inch)	Net. Weight	Description
BYS-1313SPA		1300*1300*300mm	51.2*51.2*11.8"	36 Kgs	Suitable for transporting and storage of chemical liquids and oils drums to prevent ground pollution. Static Load: 4,000 kgs or 8,800 lbs Dynamic Load: 1,200 kgs or 2,600 lbs
BYS-1313SPB		1300*1300*150mm	51.2*51.2*5.9"	32 Kgs	
BYS-1368SPA		1300*680*300mm	51.2*26.8*11.8"	22 Kgs	
BYS-1368SPB		1300*680*150mm	51.2*26.8*5.9"	17 Kgs	
	Hand jack & Forklift, 4 way Entry				
BYS-1012TGH	 <p>With 8 steel tubes</p>	1000*1200*150mm	39.4*47.2*5.9"	17.5 Kgs	Flat and Grid type, reverse fork entry. Suitable for special size goods and warehouse storage.
BYS-1012TFH	 <p>With 7 steel tubes</p>	1000*1200*150mm	39.4*47.2*5.9"	15.8 Kgs	Static Load: 6,000 kgs or 13,000 lbs Dynamic Load: 2,000 kgs or 4,400 lbs Racking Load: 1,500 kgs or 3,300 lbs

*Oil drums pallets & Spill Pallets, more details: [Spill pallet](#)

8. Special Pallets -- Barreled water bucket pallet and Combined board

Product ID	Pictures	Size(L*W*H)	Size (inch)	Net. Weight	Description
BYS-1313SPB		1080*1080*182mm	42.52*42.52*7.17"	16 Kgs	<p>Suitable for storage and transporting of 5 gallon barreled water bucket.</p> <p>Maximum stacking layers: 5</p> <p>Static Load: 4,000 kgs or 8,800 lbs Dynamic Load: 1,500 kgs or 3,300 lbs</p>
BYS-10060		100*60*5cm	51.2*51.2*5.9"	3.1kg	<p>Suitable for moisture-proof and mildew-proof floors.</p> <p>Dimensions can be combined according to requirements.</p> <p>A plate for raising small livestock.</p>
BYS-9030		90*30*3cm	51.2*51.2*5.9"	1.2kg	
BYS-9030B		90*30*10cm	51.2*51.2*5.9"	1.8kg	
BYS-6030		60*30*3cm	51.2*51.2*5.9"	800g	
BYS-6030B		60*30*10cm	51.2*51.2*5.9"	1.2kg	
BYS-5030B		50*30*10cm	51.2*51.2*5.9"	1.1kg	
BYS-2525		25*25*1.7cm	51.2*51.2*5.9"	280g	
BYS-300		30*30*5cm	51.2*51.2*5.9"	440g	
BYS-400		40*40*5cm	51.2*51.2*5.9"	650g	
BYS-500		50*50*5cm	51.2*51.2*5.9"	960g	
BYS-600		60*60*5cm	51.2*51.2*5.9"	1.3kg	
BYS-600A		60*40*2.5cm	51.2*51.2*5.9"	850g	